



EC DECLARATION OF PERFORMANCE NO.WX1401001

ACCORDING TO CONSTRUCTION PRODUCTS REGULATION: (EU) NO.305/2011

Wofix hereby declares that the products mentioned below comply with the requirements of:

EN14592:2008+A1:2012 – Timber structures – Dowel type fasteners

Product: Wofix Chipboard screws

1.Unique product identification and the initial type findings:

03410-03411-03412-03420-03694

2. Type or serial number of any other element allowing identification of the construction product as required pursuant to Article 11(4);

See Annex 1

3. Intended uses of the construction product, in accordance with the applicable harmonized technical specification as foreseen by the manufacturer:

Load bearing timber structures

4.Name or registered trade name or mark and contact address of the importer as required in pursuant to Article 11(5);

Wofix – Liechtensteinstraat 2 – 5171 PH Kaatsheuvel – the Netherlands

5.Where applicable, name and contact address of the authorized representative whose mandate covers the tasks specified in Article 12 (2):

Not relevant

6.System or systems of assessment and verification of constancy of performance of the construction:

System 3 of EU No.305/2011

7.In case of the declaration of performance concerning a construction product covered by a harmonizes;

Standard: EN14592:2008 + A1:2012

Performed by Storzjirensky Zkusebni Ustav, s.p. (Notified body 1015), Hudcova 56b, 62100 BRNO (CZ)

<http://www.szutest.cz>

Under system 3

And issued: Report code 30-10036

Essential characteristics	Performance	Harmonised technical specification
Mechanical resistance and stability	Reference to Point 7	EN 14592:2008+A1:2012
Safety in case of fire	A1	EN 13501-1:2007+A1:2009
Hygiene, health and the environment	NPD	-
Safety and accessibility in use	NPD	-
Protection against noise	NPD	-
Energy economy against noise	NPD	-
Sustainable use of natural resources	NPD	-



8. In case of the declaration of performance concerning a construction product for which European Technical Assessment has been issued:

Not relevant

9. Declared performance

Product	Length	Characteristic yield moment $M_{y,k}$ [Nmm]		characteristic withdrawal parameter $f_{ax,k}$ [N/mm ²]		Characteristic head pull-through parameter $f_{head,k}$ [N/mm ²]	Characteristic tensile capacity $f_{tens,k}$ [kN]	Characteristic torsional ratio
				Loading across the fibre	Loading along the fibre			
Screw Ø 3,0 mm	12-45 mm	1 715		18,55	13,05	25,66	4,26	4,47
Screw Ø 3,5 mm	12-50 mm	2 730		19,87	12,41	25,85	4,79	3,9
Screw Ø 4,0 mm	16-70 mm	3 138		19,85	13,16	24,11	5,88	5,64
Screw Ø 4,5 mm	16-80 mm	4 602		17,11	12,42	23,81	7,64	4,24
Screw Ø 5,0 mm	16-120 mm	Thread section	Smooth section	18,18	12,85	23,83	10,12	4,09
		6 990	10797					
Screw Ø 6,0 mm	40-240 mm	Thread section	Smooth section	18,9	13,05	23,81	15,07	4,07
		11827	15719					
Material	Carbon Steel SAE 1022							
Corrosion resistance	Zinc plated (service class 1 acc to EN 1995-1-1)							

10. The performance of the products identified in points 1 and 2 is in conformity with the declared performance in point 9.

This declaration of performance is issued under the sole responsibility of the importer identified in point 4

Date: November 25st, 2013

Company stamp



Legal note:

The information provided in this document is based on our current knowledge and experience. Products must be handled with care, stored properly and applied under normal conditions in accordance with our recommendations. The user of these products has the responsibility to test the product's suitability for the intended application, circumstances and purpose. We have the right to change the properties of its products. All orders are subject to our terms and general conditions.

WOFIX®**WOOD / BESLAG / SCHARNIER SCHROEVEN
POZIDRIVE
STAAL VERZINKT****03410**

Artikel	Afmeting	Type	Soort	Doos	Artikel	Afmeting	Type	Soort	Doos
0341002	3.0 x 12	Wood	Fijn	200	0341045	4.5 x 20	Wood	Fijn	200
0341003	3.0 x 16	Wood	Fijn	200	0341046	4.5 x 25	Wood	Fijn	200
0341004	3.0 x 20	Wood	Fijn	200	0341047	4.5 x 30	Wood	Fijn	200
0341005	3.0 x 25	Wood	Fijn	200	0341048	4.5 x 35	Wood	Fijn	200
0341006	3.0 x 30	Wood	Fijn	200	0341049	4.5 x 40	Wood	Grof	200
0341007	3.0 x 35	Wood	Fijn	200	0341098	4.5 x 40	Beslag/Wood	Grof	200
0341008	3.0 x 40	Wood	Fijn	200	0341042	4.5 x 40	Scharnier	Grof	200
0341009	3.0 x 45	Wood	Fijn	200	0341050	4.5 x 45	Wood	Grof	200
0341010	3.5 x 12	Wood	Fijn	200	0341099	4.5 x 45	Beslag/Wood	Grof	200
0341011	3.5 x 16	Wood	Fijn	200	0341051	4.5 x 50	Wood	Grof	200
0341012	3.5 x 20	Wood	Fijn	200	0341052	4.5 x 60	Wood	Grof	200
0341013	3.5 x 25	Wood	Fijn	200	0341053	4.5 x 70/42	Wood	Grof	200
0341014	3.5 x 30	Wood	Fijn	200	0341054	4.5 x 80/53	Wood	Grof	200
0341015	3.5 x 35	Wood	Fijn	200	0341056	5.0 x 16	Wood	Fijn	200
0341016	3.5 x 40	Wood	Fijn	200	0341057	5.0 x 20	Wood	Fijn	200
0341017	3.5 x 45	Wood	Fijn	200	0341058	5.0 x 25	Wood	Fijn	200
0341018	3.5 x 50	Wood	Fijn	200	0341059	5.0 x 30	Wood	Fijn	200
0341020	4.0 x 16	Wood	Fijn	200	0341060	5.0 x 35	Wood	Fijn	200
0341091	4.0 x 16	Beslag/Wood	Fijn	200	0341064	5.0 x 40	Wood	Grof	200
0341021	4.0 x 20	Wood	Fijn	200	0341065	5.0 x 50	Wood	Grof	200
0341092	4.0 x 20	Beslag/Wood	Fijn	200	0341066	5.0 x 60	Wood	Grof	200
0341022	4.0 x 25	Wood	Fijn	200	0341067	5.0 x 70/42	Wood	Grof	200
0341093	4.0 x 25	Beslag/Wood	Fijn	200	0341068	5.0 x 80/53	Wood	Grof	200
0341023	4.0 x 30	Wood	Fijn	200	0341069	5.0 x 90/59	Wood	Grof	200
0341094	4.0 x 30	Beslag/Wood	Fijn	200	0341070	5.0 x 100/66	Wood	Grof	200
0341024	4.0 x 35	Wood	Fijn	200	0341071	5.0 x 110/73	Wood	Grof	200
0341095	4.0 x 35	Beslag/Wood	Fijn	200	0341072	5.0 x 120/73	Wood	Grof	200
0341025	4.0 x 40	Wood	Fijn	200	0341076	6.0 x 40	Wood	Grof	200
0341035	4.0 x 40	Wood	Grof	200	0341077	6.0 x 50	Wood	Grof	200
0341041	4.0 x 40	Beslag/Wood	Grof	200	0341078	6.0 x 60	Wood	Grof	200
0341026	4.0 x 45	Wood	Fijn	200	0341079	6.0 x 70	Wood	Grof	200
0341036	4.0 x 45	Wood	Grof	200	0341080	6.0 x 80/53	Wood	Grof	200
0341096	4.0 x 45	Beslag/Wood	Grof	200	0341081	6.0 x 90/59	Wood	Grof	200
0341027	4.0 x 50	Wood	Fijn	200	0341082	6.0 x 100/66	Wood	Grof	100
0341037	4.0 x 50	Wood	Grof	200	0341083	6.0 x 110/73	Wood	Grof	100
0341097	4.0 x 50	Beslag/Wood	Grof	200	0341084	6.0 x 120/73	Wood	Grof	100
0341028	4.0 x 55	Wood	Fijn	200	0341085	6.0 x 130/73	Wood	Grof	100
0341038	4.0 x 55	Wood	Grof	200	0341086	6.0 x 140/73	Wood	Grof	100
0341029	4.0 x 60	Wood	Fijn	200	0341087	6.0 x 150/73	Wood	Grof	100
0341039	4.0 x 60	Wood	Grof	200	0341088	6.0 x 160/73	Wood	Grof	100
0341030	4.0 x 70	Wood	Fijn	200	0341089	6.0 x 180/73	Wood	Grof	100
0341040	4.0 x 70	Wood	Grof	200	0341090	6.0 x 200/73	Wood	Grof	100
0341044	4.5 x 16	Wood	Fijn	200					



Artikel	Afmeting	Type	Soort	Doos	Artikel	Afmeting	Type	Soort	Doos
0341102	3.0 x 12	Wood	Fijn	200	0341139	4.0 x 60	Wood	Grof	200
0341103	3.0 x 16	Wood	Fijn	200	0341130	4.0 x 70	Wood	Fijn	200
0341104	3.0 x 20	Wood	Fijn	200	0341230	4.0 x 70/42	Wood	Fijn	200
0341105	3.0 x 25	Wood	Fijn	200	0341140	4.0 x 70	Wood	Grof	200
0341106	3.0 x 30	Wood	Fijn	200	0341144	4.5 x 16	Wood	Fijn	200
0341206	3.0 x 30/18	Wood	Fijn	200	0341145	4.5 x 20	Wood	Fijn	200
0341107	3.0 x 35	Wood	Fijn	200	0341146	4.5 x 25	Wood	Fijn	200
0341207	3.0 x 35/20	Wood	Fijn	200	0341147	4.5 x 30	Wood	Fijn	200
0341108	3.0 x 40	Wood	Fijn	200	0341148	4.5 x 35	Wood	Fijn	200
0341109	3.0 x 45	Wood	Fijn	200	0341149	4.5 x 40	Wood	Grof	200
0341110	3.5 x 12	Wood	Fijn	200	0341200	4.5 x 40	Beslag/Wood	Grof	200
0341111	3.5 x 16	Wood	Fijn	200	0341150	4.5 x 45	Wood	Grof	200
0341112	3.5 x 20	Wood	Fijn	200	0341201	4.5 x 45	Beslag/Wood	Grof	200
0341113	3.5 x 25	Wood	Fijn	200	0341142	4.5 x 40	Scharnier	Grof	200
0341114	3.5 x 30	Wood	Fijn	200	0341151	4.5 x 50	Wood	Grof	200
0341214	3.5 x 30/18	Wood	Fijn	200	0341152	4.5 x 60	Wood	Grof	200
0341115	3.5 x 35	Wood	Fijn	200	0341153	4.5 x 70/42	Wood	Grof	200
0341215	3.5 x 35/20	Wood	Fijn	200	0341154	4.5 x 80/53	Wood	Grof	200
0341116	3.5 x 40	Wood	Fijn	200	0341156	5.0 x 16	Wood	Fijn	200
0341216	3.5 x 40/24	Wood	Fijn	200	0341157	5.0 x 20	Wood	Fijn	200
0341117	3.5 x 45	Wood	Fijn	200	0341158	5.0 x 25	Wood	Fijn	200
0341118	3.5 x 50	Wood	Fijn	200	0341159	5.0 x 30	Wood	Fijn	200
0341120	4.0 x 16	Wood	Fijn	200	0341160	5.0 x 35	Wood	Fijn	200
0341193	4.0 x 16	Beslag/Wood	Fijn	200	0341164	5.0 x 40	Wood	Grof	200
0341121	4.0 x 20	Wood	Fijn	200	0341165	5.0 x 50	Wood	Grof	200
0341194	4.0 x 20	Beslag/Wood	Fijn	200	0341166	5.0 x 60	Wood	Grof	200
0341122	4.0 x 25	Wood	Fijn	200	0341167	5.0 x 70/42	Wood	Grof	200
0341195	4.0 x 25	Beslag/Wood	Fijn	200	0341168	5.0 x 80/53	Wood	Grof	200
0341123	4.0 x 30	Wood	Fijn	200	0341169	5.0 x 90/59	Wood	Grof	200
0341223	4.0 x 30/18	Wood	Fijn	200	0341170	5.0 x 100/66	Wood	Grof	200
0341196	4.0 x 30	Beslag/Wood	Fijn	200	0341171	5.0 x 110/73	Wood	Grof	200
0341124	4.0 x 35	Wood	Fijn	200	0341172	5.0 x 120/73	Wood	Grof	200
0341224	4.0 x 35/20	Wood	Fijn	200	0341176	6.0 x 40	Wood	Grof	200
0341197	4.0 x 35	Beslag/Wood	Fijn	200	0341177	6.0 x 50	Wood	Grof	200
0341125	4.0 x 40	Wood	Fijn	200	0341178	6.0 x 60	Wood	Grof	200
0341225	4.0 x 40/24	Wood	Fijn	200	0341179	6.0 x 70	Wood	Grof	200
0341135	4.0 x 40	Wood	Grof	200	0341180	6.0 x 80/53	Wood	Grof	200
0341141	4.0 x 40	Beslag/Wood	Grof	200	0341181	6.0 x 90/59	Wood	Grof	200
0341126	4.0 x 45	Wood	Fijn	200	0341182	6.0 x 100/66	Wood	Grof	100
0341226	4.0 x 45/27	Wood	Fijn	200	0341183	6.0 x 110/73	Wood	Grof	100
0341136	4.0 x 45	Wood	Grof	200	0341184	6.0 x 120/73	Wood	Grof	100
0341198	4.0 x 45	Beslag/Wood	Grof	200	0341185	6.0 x 130/73	Wood	Grof	100
0341127	4.0 x 50	Wood	Fijn	200	0341186	6.0 x 140/73	Wood	Grof	100
0341227	4.0 x 50/30	Wood	Fijn	200	0341187	6.0 x 150/73	Wood	Grof	100
0341137	4.0 x 50	Wood	Grof	200	0341188	6.0 x 160/73	Wood	Grof	100
0341199	4.0 x 50	Beslag/Wood	Grof	200	0341189	6.0 x 180/73	Wood	Grof	100
0341128	4.0 x 55	Wood	Fijn	200	0341190	6.0 x 200/73	Wood	Grof	100
0341138	4.0 x 55	Wood	Grof	200	0341191	6.0 x 220/73	Wood	Grof	100
0341129	4.0 x 60	Wood	Fijn	200	0341192	6.0 x 240/73	Wood	Grof	100
0341229	4.0 x 60/36	Wood	Fijn	200					

WOFIX®**UNI SCHROEVEN
POZIDRIVE
STAAL VERZINKT****03420**

Artikel	Afmeting	Type	Doos	Artikel	Afmeting	Type	Doos
0342002	3.0 x 12	Uni	200	0342050	4.5 x 45	Uni	200
0342003	3.0 x 16	Uni	200	0342051	4.5 x 50	Uni	200
0342004	3.0 x 20	Uni	200	0342052	4.5 x 60/36	Uni	200
0342005	3.0 x 25	Uni	200	0342053	4.5 x 70/42	Uni	200
0342006	3.0 x 30	Uni	200	0342054	4.5 x 80/53	Uni	200
0342007	3.0 x 35	Uni	200	0342056	5.0 x 16	Uni	200
0342008	3.0 x 40	Uni	200	0342057	5.0 x 20	Uni	200
0342009	3.0 x 45	Uni	200	0342058	5.0 x 25	Uni	200
0342010	3.5 x 12	Uni	200	0342059	5.0 x 30	Uni	200
0342011	3.5 x 16	Uni	200	0342060	5.0 x 35	Uni	200
0342012	3.5 x 20	Uni	200	0342064	5.0 x 40	Uni	200
0342013	3.5 x 25	Uni	200	0342065	5.0 x 50	Uni	200
0342014	3.5 x 30	Uni	200	0342066	5.0 x 60/36	Uni	200
0342015	3.5 x 35	Uni	200	0342067	5.0 x 70/42	Uni	200
0342016	3.5 x 40	Uni	200	0342068	5.0 x 80/53	Uni	200
0342017	3.5 x 45	Uni	200	0342069	5.0 x 90/59	Uni	200
0342018	3.5 x 50	Uni	200	0342070	5.0 x 100/66	Uni	200
0342020	4.0 x 16	Uni	200	0342071	5.0 x 110/73	Uni	200
0342021	4.0 x 20	Uni	200	0342072	5.0 x 120/73	Uni	200
0342022	4.0 x 25	Uni	200	0342076	6.0 x 40	Uni	200
0342023	4.0 x 30	Uni	200	0342077	6.0 x 50	Uni	200
0342024	4.0 x 35	Uni	200	0342078	6.0 x 60/36	Uni	200
0342025	4.0 x 40	Uni	200	0342079	6.0 x 70/42	Uni	200
0342026	4.0 x 45	Uni	200	0342080	6.0 x 80/53	Uni	200
0342027	4.0 x 50	Uni	200	0342081	6.0 x 90/59	Uni	200
0342029	4.0 x 60/36	Uni	200	0342082	6.0 x 100/66	Uni	100
0342030	4.0 x 70/42	Uni	200	0342083	6.0 x 110/73	Uni	100
0342044	4.5 x 16	Uni	200	0342084	6.0 x 120/73	Uni	100
0342045	4.5 x 20	Uni	200	0342085	6.0 x 130/73	Uni	100
0342046	4.5 x 25	Uni	200	0342086	6.0 x 140/73	Uni	100
0342047	4.5 x 30	Uni	200	0342087	6.0 x 150/73	Uni	100
0342048	4.5 x 35	Uni	200	0342088	6.0 x 160/73	Uni	100
0342049	4.5 x 40	Uni	200				

WOFIX®**KOPBORING SCHROEVEN
POZIDRIVE
STAAL VERZINKT****03694**

Artikel	Afmeting	Type	Doos	Artikel	Afmeting	Type	Doos
0369404	4.5x25	Kopboring	200	0369412	4.5 x 45	Kopboring	200
0369406	4.5x30	Kopboring	200	0369414	4.5 x 50	Kopboring	200
0369408	4.5x35	Kopboring	200	0369416	4.5 x 60	Kopboring	200
0369410	4.5x40	Kopboring	200	0369418	4.5 x 70	Kopboring	200